



Birding Tours Worldwide

---

## Field Checklist – Ecuador: East Slope & Amazon Lowlands

Great Tinamou	( <i>Tinamus major</i> )
White-throated Tinamou	( <i>Tinamus guttatus</i> )
Cinereous Tinamou	( <i>Crypturellus cinereus</i> )
Little Tinamou	( <i>Crypturellus soui</i> )
Brown Tinamou	( <i>Crypturellus obsoletus</i> )
Undulated Tinamou	( <i>Crypturellus undulatus</i> )
Variiegated Tinamou	( <i>Crypturellus variegatus</i> )
Bartlett's Tinamou	( <i>Crypturellus bartletti</i> )
Horned Screamer	( <i>Anhima cornuta</i> )
Muscovy Duck	( <i>Cairina moschata</i> )
Torrent Duck	( <i>Merganetta armata</i> )
Blue-winged Teal	( <i>Anas discors</i> )
White-cheeked Pintail	( <i>Anas bahamensis</i> )
Yellow-billed Pintail	( <i>Anas georgica</i> )
Andean Teal	( <i>Anas andium</i> )
Speckled Chachalaca	( <i>Ortalis guttata</i> )
Andean Guan	( <i>Penelope montagnii</i> )
Spix's Guan	( <i>Penelope jacquacu</i> )
Blue-throated Piping-Guan	( <i>Pipile cumanensis</i> )
Wattled Guan	( <i>Aburria aburri</i> )
Sickle-winged Guan	( <i>Chamaepetes goudotii</i> )
Nocturnal Curassow	( <i>Nothocrax urumutum</i> )
Marbled Wood-Quail	( <i>Odontophorus gujanensis</i> )
Feral (Rock) Pigeon	( <i>Columba livia</i> )
Pale-vented Pigeon	( <i>Patagioenas cayennensis</i> )
Scaled Pigeon	( <i>Patagioenas speciosa</i> )
Band-tailed Pigeon	( <i>Patagioenas fasciata</i> )
Plumbeous Pigeon	( <i>Patagioenas plumbea</i> )
Ruddy Pigeon	( <i>Patagioenas subvinacea</i> )
Common Ground-Dove	( <i>Columbina passerina</i> )
Ruddy Ground-Dove	( <i>Columbina talpacoti</i> )
Croaking Ground-Dove	( <i>Columbina cruziana</i> )
Black-winged Ground-Dove	( <i>Metriopelia melanoptera</i> )
Sapphire Quail-Dove	( <i>Geotrygon saphirina</i> )
Ruddy Quail-Dove	( <i>Geotrygon montana</i> )
White-tipped Dove	( <i>Leptotila verreauxi</i> )
Gray-fronted Dove	( <i>Leptotila rufaxilla</i> )
White-throated Quail-Dove	( <i>Zentrygon frenata</i> )



Eared Dove	( <i>Zenaida auriculata</i> )
Greater Ani	( <i>Crotophaga major</i> )
Smooth-billed Ani	( <i>Crotophaga ani</i> )
Pheasant Cuckoo	( <i>Dromococcyx phasianellus</i> )
Little Cuckoo	( <i>Coccyua minuta</i> )
Squirrel Cuckoo	( <i>Piaya cayana</i> )
Black-bellied Cuckoo	( <i>Piaya melanogaster</i> )
Sand-colored Nighthawk	( <i>Chordeiles rupestris</i> )
Lesser Nighthawk	( <i>Chordeiles acutipennis</i> )
Common Nighthawk	( <i>Chordeiles minor</i> )
Rufous-bellied Nighthawk	( <i>Lurocalis rufiventris</i> )
Common Pauraque	( <i>Nyctidromus albicollis</i> )
Swallow-tailed Nightjar	( <i>Uropsalis segmentata</i> )
Band-winged Nightjar	( <i>Systellura longirostris</i> )
Ladder-tailed Nightjar	( <i>Hydropsalis climacocerca</i> )
Great Potoo	( <i>Nyctibius grandis</i> )
Long-tailed Potoo	( <i>Nyctibius aethereus</i> )
Common Potoo	( <i>Nyctibius griseus</i> )
Andean Potoo	( <i>Nyctibius maculosus</i> )
White-chinned Swift	( <i>Cypseloides cryptus</i> )
Spot-fronted Swift	( <i>Cypseloides cherriei</i> )
Chestnut-collared Swift	( <i>Streptoprocne rutila</i> )
White-collared Swift	( <i>Streptoprocne zonaris</i> )
Gray-rumped Swift	( <i>Chaetura cinereiventris</i> )
Short-tailed Swift	( <i>Chaetura brachyura</i> )
White-tipped Swift	( <i>Aeronautes montivagus</i> )
Lesser Swallow-tailed Swift	( <i>Panyptila cayennensis</i> )
Fork-tailed Palm-Swift	( <i>Tachornis squamata</i> )
White-necked Jacobin	( <i>Florisuga mellivora</i> )
Rufous-breasted Hermit	( <i>Glaucis hirsutus</i> )
Pale-tailed Barbthroat	( <i>Threnetes leucurus</i> )
White-bearded Hermit	( <i>Phaethornis hispidus</i> )
Green Hermit	( <i>Phaethornis guy</i> )
Tawny-bellied Hermit	( <i>Phaethornis syrmatophorus</i> )
Straight-billed Hermit	( <i>Phaethornis bourcierii</i> )
Great-billed Hermit	( <i>Phaethornis malaris</i> )
Black-throated Hermit	( <i>Phaethornis atrimentalis</i> )
Reddish Hermit	( <i>Phaethornis ruber</i> )
Green-fronted Lancebill	( <i>Doryfera ludovicae</i> )
Blue-fronted Lancebill	( <i>Doryfera johannae</i> )
Geoffroy's Daggerbill	( <i>Schistes geoffroyi</i> )
Sparkling Violetear	( <i>Colibri coruscans</i> )
Brown Violetear	( <i>Colibri delphinae</i> )
Lesser (Green) Violetear	( <i>Colibri cyanotus</i> )



Black-eared Fairy	( <i>Heliathyx auritus</i> )
Black-throated Mango	( <i>Anthracothorax nigricollis</i> )
Tourmaline Sunangel	( <i>Heliangelus exortis</i> )
Wire-crested Thorntail	( <i>Discosura popelairii</i> )
Black-bellied Thorntail	( <i>Popelaria lansdorfii</i> )
Ecuadorian Piedtail	( <i>Phlogophilus hemileucurus</i> )
Speckled Hummingbird	( <i>Adelomyia melanogenys</i> )
Long-tailed Sylph	( <i>Agelaiocercus kingii</i> )
Ecuadorian Hillstar	( <i>Oreotrochilus chimborazo</i> )
Mountain Avocetbill	( <i>Opisthoprora euryptera</i> )
Black-tailed Trainbearer	( <i>Lesbia victoriae</i> )
Blue-mantled Thornbill	( <i>Chalcostigma stanleyi</i> )
Rainbow-bearded Thornbill	( <i>Chalcostigma herrani</i> )
Tyrian Metaltail	( <i>Metallura tyrianthina</i> )
Viridian Metaltail	( <i>Metallura williami</i> )
Glowing Puffleg	( <i>Eriocnemis vestita</i> )
Shining Sunbeam	( <i>Aglaeactis cupripennis</i> )
Bronzy Inca	( <i>Coeligena coeligena</i> )
Collared Inca	( <i>Coeligena torquata</i> )
Buff-winged Starfrontlet	( <i>Coeligena lutetiae</i> )
Mountain Velvetbreast	( <i>Lafresnaya lafresnayi</i> )
Sword-billed Hummingbird	( <i>Ensifera ensifera</i> )
Great Sapphirewing	( <i>Pterophanes cyanopterus</i> )
Buff-tailed Coronet	( <i>Boissonneaua flavescens</i> )
Chestnut-breasted Coronet	( <i>Boissonneaua matthewsii</i> )
Peruvian (Booted) Racket-tail	( <i>Ocreatus peruanus</i> )
Green-backed (White-tailed) Hillstar	( <i>Urochroa leucura</i> )
Rufous-vented Whitetip	( <i>Urosticte ruficrissa</i> )
Black-throated Brilliant	( <i>Heliodoxa schreibersii</i> )
Gould's Jewelfront	( <i>Heliodoxa aurescens</i> )
Fawn-breasted Brilliant	( <i>Heliodoxa rubinoides</i> )
Violet-fronted Brilliant	( <i>Heliodoxa leadbeateri</i> )
Giant Hummingbird	( <i>Patagona gigas</i> )
Long-billed Starthroat	( <i>Heliomaster longirostris</i> )
Amethyst Woodstar	( <i>Calliphlox amethystina</i> )
White-bellied Woodstar	( <i>Chaetocercus mulsant</i> )
Gorgeted Woodstar	( <i>Chaetocercus heliodor</i> )
Blue-tailed Emerald	( <i>Chlorostilbon mellisugus</i> )
Western Emerald	( <i>Chlorostilbon melanorhynchus</i> )
Violet-headed Hummingbird	( <i>Klais guimeti</i> )
Napo Sabrewing	( <i>Campylopterus villaviscensio</i> )
Fork-tailed Woodnymph	( <i>Thalurania furcata</i> )
Many-spotted Hummingbird	( <i>Taphrospilus hypostictus</i> )
Olive-spotted Hummingbird	( <i>Leucippus chlorocercus</i> )



Rufous-tailed Hummingbird	( <i>Amazilia tzacati</i> )
Golden-tailed Sapphire	( <i>Chrysuronia oenone</i> )
Glittering-throated Emerald	( <i>Amazilia fimbriata</i> )
Rufous-throated Sapphire	( <i>Hylocharis sapphirina</i> )
Gray-cowled (Gray-necked) Wood-Rail	( <i>Aramides cajaneus</i> )
Slate-colored (Andean) Coot	( <i>Fulica ardesiaca</i> )
Purple Gallinule	( <i>Porphyrio martinica</i> )
Azure Gallinule	( <i>Porphyrio flavirostris</i> )
Uniform Crake	( <i>Amaurolimnas concolor</i> )
Black-banded Crake	( <i>Anurolimnas fasciatus</i> )
Chestnut-headed Crake	( <i>Anurolimnas castaneiceps</i> )
Rufous-sided Crake	( <i>Laterallus melanophaius</i> )
Gray-breasted Crake	( <i>Laterallus exilis</i> )
Sungrebe	( <i>Heliornis fulica</i> )
Limpkin	( <i>Aramus guarauna</i> )
Gray-winged Trumpeter	( <i>Psophia crepitans</i> )
Pied Plover (Lapwing)	( <i>Hoploxypterus cayanus</i> )
Semipalmated Plover	( <i>Charadrius semipalmatus</i> )
Southern Lapwing	( <i>Vanellus chilensis</i> )
Andean Lapwing	( <i>Vanellus resplendens</i> )
Collared Plover	( <i>Charadrius collaris</i> )
Rufous-bellied Seedsnipe	( <i>Attagis gayi</i> )
Wattled Jacana	( <i>Jacana jacana</i> )
Jameson's Snipe	( <i>Gallinago jamesoni</i> )
Wilson's Snipe	( <i>Gallinago delicata</i> )
Spotted Sandpiper	( <i>Actitis macularius</i> )
Solitary Sandpiper	( <i>Tringa solitaria</i> )
Lesser Yellowlegs	( <i>Tringa flavipes</i> )
Greater Yellowlegs	( <i>Tringa melanoleuca</i> )
Least Sandpiper	( <i>Calidris minutilla</i> )
Andean Gull	( <i>Chroicocephalus serranus</i> )
Laughing Gull	( <i>Leucophaeus atricilla</i> )
Black Skimmer	( <i>Rynchops niger</i> )
Yellow-billed Tern	( <i>Sternula superciliaris</i> )
Large-billed Tern	( <i>Phaetusa simplex</i> )
Pied-billed Grebe	( <i>Podilymbus podiceps</i> )
Hoatzin	( <i>Opisthocomus hoazin</i> )
Sunbittern	( <i>Eurypyga helias</i> )
Anhinga	( <i>Anhinga anhinga</i> )
Neotropic Cormorant	( <i>Phalacrocorax brasilianus</i> )
Bare-faced Ibis	( <i>Phimosus infuscatus</i> )
Andean Ibis	( <i>Theristicus branickii</i> )
Roseate Spoonbill	( <i>Platalea ajaja</i> )
Rufescent Tiger-Heron	( <i>Tigrisoma lineatum</i> )



Fasciated Tiger-Heron	( <i>Tigrisoma fasciatum</i> )
Boat-billed Heron	( <i>Cochlearius cochlearius</i> )
Agami Heron	( <i>Agamia agami</i> )
Zigzag Heron	( <i>Zebrilus undulatus</i> )
Least Bittern	( <i>Ixobrychus exilis</i> )
Black-crowned Night-Heron	( <i>Nycticorax nycticorax</i> )
Capped Heron	( <i>Pilherodius pileatus</i> )
Little Blue Heron	( <i>Egretta caerulea</i> )
Snowy Egret	( <i>Egretta thula</i> )
Striated Heron	( <i>Butorides striata</i> )
Western Cattle Egret	( <i>Ardea ibis</i> )
Great Egret	( <i>Ardea alba</i> )
Great Blue Heron	( <i>Ardea herodias</i> )
Cocoi Heron	( <i>Ardea cocoi</i> )
King Vulture	( <i>Sarcoramphus papa</i> )
Andean Condor	( <i>Vultur gryphus</i> )
Black Vulture	( <i>Coragyps atratus</i> )
Turkey Vulture	( <i>Cathartes aura</i> )
Greater Yellow-headed Vulture	( <i>Cathartes melambrotus</i> )
Osprey	( <i>Pandion haliaetus</i> )
White-tailed Kite	( <i>Elanus leucurus</i> )
Hook-billed Kite	( <i>Chondrohierax uncinatus</i> )
Gray-headed Kite	( <i>Leptodon cayanensis</i> )
Swallow-tailed Kite	( <i>Elanoides forficatus</i> )
Black Hawk-Eagle	( <i>Spizaetus tyrannus</i> )
Black-and-white Hawk-Eagle	( <i>Spizastur melanoleucus</i> )
Ornate Hawk-Eagle	( <i>Spizaetus ornatus</i> )
Black-and-chestnut Eagle	( <i>Spizaetus isidori</i> )
Crested Eagle	( <i>Morphnus guianensis</i> )
Harpy Eagle	( <i>Harpia harpyja</i> )
Sharp-shinned (Plain-breasted) Hawk	( <i>Accipiter striatus</i> )
Bicolored Hawk	( <i>Accipiter bicolor</i> )
Double-toothed Kite	( <i>Harpagus bidentatus</i> )
Mississippi Kite	( <i>Ictinia mississippiensis</i> )
Plumbeous Kite	( <i>Ictinia plumbea</i> )
Crane Hawk	( <i>Geranospiza caerulescens</i> )
Snail Kite	( <i>Rostrhamus sociabilis</i> )
Slender-billed Kite	( <i>Helicolestes hamatus</i> )
Barred Hawk	( <i>Morphnarchus princeps</i> )
Slate-colored Hawk	( <i>Leucopternis schistaceus</i> )
Roadside Hawk	( <i>Buteo magnirostris</i> )
Harris's Hawk	( <i>Parabuteo unicinctus</i> )
White-rumped Hawk	( <i>Parabuteo leucorrhous</i> )
Variable Hawk	( <i>Geranoaetus polyosoma</i> )



Black-chested Buzzard-Eagle	( <i>Geranoaetus melanoleucus</i> )
White Hawk	( <i>Pseudastur albicollis</i> )
Gray Hawk	( <i>Buteo nitidus</i> )
Broad-winged Hawk	( <i>Buteo platypterus</i> )
Zone-tailed Hawk	( <i>Buteo albonotatus</i> )
Short-tailed Hawk	( <i>Buteo brachyurus</i> )
White-throated Screech-Owl	( <i>Megascops albogularis</i> )
Tropical Screech-Owl	( <i>Megascops choliba</i> )
Rufescent Screech-Owl	( <i>Megascops ingens</i> )
Foothill Screech-Owl	( <i>Megascops roraimae</i> )
Tawny-bellied Screech-Owl	( <i>Megascops watsonii</i> )
Crested Owl	( <i>Lophostrix cristata</i> )
Spectacled Owl	( <i>Pulsatrix perspicillata</i> )
Band-bellied Owl	( <i>Pulsatrix melanota</i> )
Great Horned Owl	( <i>Bubo virginianus</i> )
Andean Pygmy-Owl	( <i>Glaucidium jardiinii</i> )
Ferruginous Pygmy-Owl	( <i>Glaucidium brasilianum</i> )
Burrowing Owl	( <i>Athene cunicularia</i> )
Mottled Owl	( <i>Strix virgata</i> )
Black-banded Owl	( <i>Ciccaba huhula</i> )
Rufous-banded Owl	( <i>Strix albitarsis</i> )
Striped Owl	( <i>Pseudoscops clamator</i> )
Golden-headed Quetzal	( <i>Pharomachrus auriceps</i> )
Crested Quetzal	( <i>Pharomachrus antisianus</i> )
Black-tailed Trogon	( <i>Trogon melanurus</i> )
Green-backed (Amazonian White-tailed) Trogon	( <i>Trogon viridis</i> )
Amazonian (Violaceous) Trogon	( <i>Trogon ramonianus</i> )
Blue-crowned Trogon	( <i>Trogon curucui</i> )
Amazonian Black-throated Trogon	( <i>Trogon rufus</i> )
Collared Trogon	( <i>Trogon collaris</i> )
Masked Trogon	( <i>Trogon personatus</i> )
Amazonian (Blue-crowned) Motmot	( <i>Momotus momota</i> )
Andean (Highland) Motmot	( <i>Momotus aequatorialis</i> )
Rufous Motmot	( <i>Baryphthengus martii</i> )
Broad-billed Motmot	( <i>Electron platyrhynchum</i> )
Ringed Kingfisher	( <i>Megaceryle torquata</i> )
Amazon Kingfisher	( <i>Chloroceryle amazona</i> )
American Pygmy Kingfisher	( <i>Chloroceryle aenea</i> )
Green Kingfisher	( <i>Chloroceryle americana</i> )
Green-and-rufous Kingfisher	( <i>Chloroceryle inda</i> )
White-necked Puffbird	( <i>Notharchus hyperrhynchus</i> )
Pied Puffbird	( <i>Notharchus tectus</i> )
Chestnut-capped Puffbird	( <i>Bucco macrodactylus</i> )
Spotted Puffbird	( <i>Bucco tamatia</i> )



Collared Puffbird	( <i>Bucco capensis</i> )
White-chested Puffbird	( <i>Malacoptila fusca</i> )
Black-streaked Puffbird	( <i>Malacoptila fulvogularis</i> )
Lanceolated Monklet	( <i>Micromonacha lanceolata</i> )
Brown Nunlet	( <i>Nonnula brunnea</i> )
Black-fronted Nunbird	( <i>Monasa nigrifrons</i> )
White-fronted Nunbird	( <i>Monasa morphoeus</i> )
Yellow-billed Nunbird	( <i>Monasa flavirostris</i> )
Swallow-winged Puffbird	( <i>Chelidoptera tenebrosa</i> )
White-eared Jacamar	( <i>Galbalcyrhynchus leucotis</i> )
Brown Jacamar	( <i>Brachygalba lugubris</i> )
Yellow-billed Jacamar	( <i>Galbula albirostris</i> )
White-chinned Jacamar	( <i>Galbula tombacea</i> )
Coppery-chested Jacamar	( <i>Galbula pastazae</i> )
Purplish Jacamar	( <i>Galbula chalcothorax</i> )
Great Jacamar	( <i>Jacamerops aureus</i> )
Scarlet-crowned Barbet	( <i>Capito aurovirens</i> )
Gilded Barbet	( <i>Capito auratus</i> )
Lemon-throated Barbet	( <i>Eubucco richardsoni</i> )
Red-headed Barbet	( <i>Eubucco bourcierii</i> )
Southern Emerald-Toucanet	( <i>Aulacorhynchus albivitta</i> )
Chestnut-tipped Toucanet	( <i>Aulacorhynchus derbianus</i> )
Gray-breasted Mountain-Toucan	( <i>Andigena hypoglauca</i> )
Black-billed Mountain-Toucan	( <i>Andigena nigrirostris</i> )
Lettered Aracari	( <i>Pteroglossus inscriptus</i> )
Chestnut-eared Aracari	( <i>Pteroglossus castanotis</i> )
Many-banded Aracari	( <i>Pteroglossus pluricinctus</i> )
Ivory-billed Aracari	( <i>Pteroglossus azara</i> )
Golden-collared Toucanet	( <i>Selenidera reinwardtii</i> )
Yellow-throated (Black-mandibled) Toucan	( <i>Ramphastos ambiguus</i> )
White-throated Toucan	( <i>Ramphastos tucanus</i> )
Channel-billed Toucan	( <i>Ramphastos vitellinus</i> )
Lafresnaye's Piculet	( <i>Picumnus lafresnayi</i> )
Yellow-tufted Woodpecker	( <i>Melanerpes cruentatus</i> )
Smoky-brown Woodpecker	( <i>Dryobates fumigatus</i> )
Little Woodpecker	( <i>Veniliornis passerinus</i> )
Yellow-vented Woodpecker	( <i>Veniliornis dignus</i> )
Red-stained Woodpecker	( <i>Veniliornis affinis</i> )
Powerful Woodpecker	( <i>Campephilus pollens</i> )
Red-necked Woodpecker	( <i>Campephilus rubricollis</i> )
Crimson-crested Woodpecker	( <i>Campephilus melanoleucos</i> )
Lineated Woodpecker	( <i>Dryocopus lineatus</i> )
Ringed Woodpecker	( <i>Celeus torquatus</i> )
Waved (Scale-breasted) Woodpecker	( <i>Celeus undatus</i> )



Cream-colored Woodpecker	( <i>Celeus flavus</i> )
Rufous-headed Woodpecker	( <i>Celeus spectabilis</i> )
Chestnut Woodpecker	( <i>Celeus elegans</i> )
Yellow-throated Woodpecker	( <i>Piculus flavigula</i> )
Golden-olive Woodpecker	( <i>Colaptes rubiginosus</i> )
Crimson-mantled Woodpecker	( <i>Colaptes rivolii</i> )
Spot-breasted Woodpecker	( <i>Colaptes punctigula</i> )
Laughing Falcon	( <i>Herpetotheres cachinnans</i> )
Buckley's Forest-Falcon	( <i>Micrastur buckleyi</i> )
Collared Forest-Falcon	( <i>Micrastur semitorquatus</i> )
Slaty-backed Forest-Falcon	( <i>Micrastur mirandollei</i> )
Barred Forest-Falcon	( <i>Micrastur ruficollis</i> )
Lined Forest-Falcon	( <i>Micrastur gilvicollis</i> )
Red-throated Caracara	( <i>Ibycter americanus</i> )
Yellow-headed Caracara	( <i>Milvago chimachima</i> )
Black Caracara	( <i>Daptrius ater</i> )
American Kestrel	( <i>Falco sparverius</i> )
Bat Falcon	( <i>Falco ruficularis</i> )
Peregrine Falcon	( <i>Falco peregrinus</i> )
Scarlet-shouldered Parrotlet	( <i>Touit huetii</i> )
Cobalt-winged Parakeet	( <i>Brotogeris cyanoptera</i> )
Orange-cheeked Parrot	( <i>Pyrilia barrabandi</i> )
Red-billed Parrot	( <i>Pionus sordidus</i> )
Speckle-faced (White-capped) Parrot	( <i>Pionus tumultuosus seniloides</i> )
Blue-headed Parrot	( <i>Pionus menstruus</i> )
Yellow-crowned Parrot	( <i>Amazona ochrocephala</i> )
Mealy Parrot	( <i>Amazona farinosa</i> )
Orange-winged Parrot	( <i>Amazona amazonica</i> )
Scaly-naped Parrot	( <i>Amazona mercenarius</i> )
Riparian (Blue-winged) Parrotlet	( <i>Forpus crassirostris</i> )
Black-headed Parrot	( <i>Pionites melanocephalus</i> )
Maroon-tailed Parakeet	( <i>Pyrrhura melanura</i> )
Dusky-headed Parakeet	( <i>Aratinga weddellii</i> )
Red-bellied Macaw	( <i>Orthopsittaca manilata</i> )
Blue-and-yellow Macaw	( <i>Ara ararauna</i> )
Chestnut-fronted Macaw	( <i>Ara severus</i> )
Military Macaw	( <i>Ara militaris</i> )
Scarlet Macaw	( <i>Ara macao</i> )
Red-and-green Macaw	( <i>Ara chloropterus</i> )
White-eyed Parakeet	( <i>Psittacara leucophthalmus</i> )
Fasciated Antshrike	( <i>Cymbilaimus lineatus</i> )
Fulvous (Undulated) Antshrike	( <i>Frederickena fulva</i> )
Great Antshrike	( <i>Taraba major</i> )
Barred Antshrike	( <i>Thamnophilus doliatus</i> )





Lined Antshrike	( <i>Thamnophilus tenuipunctatus</i> )
Plain-winged Antshrike	( <i>Thamnophilus schistaceus</i> )
Mouse-colored Antshrike	( <i>Thamnophilus murinus</i> )
Cocha Antshrike	( <i>Thamnophilus praecox</i> )
Castelnau's Antshrike	( <i>Thamnophilus cryptoleucus</i> )
White-shouldered Antshrike	( <i>Thamnophilus aethiops</i> )
Black Bushbird	( <i>Neotantes niger</i> )
Russet Antshrike	( <i>Thamnistes anabatinus</i> )
Plain Antvireo	( <i>Dysithamnus mentalis</i> )
Dusky-throated Antshrike	( <i>Thamnomanes ardesiacus</i> )
Cinereous Antshrike	( <i>Thamnomanes caesius</i> )
Plain-throated Antwren	( <i>Isleria hauxwelli</i> )
Spot-winged Antshrike	( <i>Pygoptila stellaris</i> )
Foothill Stipplethroat (Antwren)	( <i>Epinecrophylla spodionota</i> )
Ornate Stipplethroat (Antwren)	( <i>Epinecrophylla ornata</i> )
Rufous-tailed Stipplethroat (Antwren)	( <i>Epinecrophylla erythrura</i> )
Pygmy Antwren	( <i>Myrmotherula brachyura</i> )
Moustached Antwren	( <i>Myrmotherula ignota obscura</i> )
Amazonian Streaked-Antwren	( <i>Myrmotherula multostriata</i> )
White-flanked Antwren	( <i>Myrmotherula axillaris</i> )
Slaty Antwren	( <i>Myrmotherula schisticolor</i> )
Rio Suno Antwren	( <i>Myrmotherula sunensis</i> )
Long-winged Antwren	( <i>Myrmotherula longipennis</i> )
Gray Antwren	( <i>Myrmotherula menetriesii</i> )
Banded Antbird	( <i>Dichrozona cincta</i> )
Dugand's Antwren	( <i>Herpsilochmus dugandi</i> )
Yellow-breasted Antwren	( <i>Herpsilochmus axillaris</i> )
Rusty-winged Antwren	( <i>Herpsilochmus frater</i> )
Streak-headed (Long-tailed) Antbird	( <i>Drymophila striaticeps</i> )
Peruvian Warbling-Antbird	( <i>Hypocnemis peruviana</i> )
Yellow-browed Antbird	( <i>Hypocnemis hypoxantha</i> )
Black Antbird	( <i>Cercomacra serva</i> )
Blackish Antbird	( <i>Cercomacra nigrescens</i> )
Riparian (Blackish) Antbird	( <i>Cercomacra fuscicauda</i> )
Gray Antbird	( <i>Cercomacra cinerascens</i> )
White-backed Fire-eye	( <i>Pyriglena leuconota</i> )
Black-faced Antbird	( <i>Myrmoborus myotherinus</i> )
Black-and-white Antbird	( <i>Myrmochanes hemileucus</i> )
Silvered Antbird	( <i>Sclateria naevia</i> )
Plumbeous Antbird	( <i>Myrmeciza hyperythra</i> )
Spot-winged Antbird	( <i>Schistocichla leucostigma</i> )
White-shouldered Antbird	( <i>Myrmeciza melanoceps</i> )
Sooty Antbird	( <i>Myrmeciza fortis</i> )
White-plumed Antbird	( <i>Pithys albifrons</i> )



White-cheeked (Bicolored) Antbird	( <i>Gymnopithys leucaspis</i> )
Lunulated Antbird	( <i>Gymnopithys lunulatus</i> )
Hairy-crested Antbird	( <i>Rhegmatorhina melanosticta</i> )
Spot-backed Antbird	( <i>Hylophylax naevius</i> )
Dot-backed Antbird	( <i>Hylophylax punctulatus</i> )
Common Scale-backed Antbird	( <i>Hylophylax poecilinotus</i> )
Black-spotted Bare-eye	( <i>Phlegopsis nigromaculata</i> )
Reddish-winged Bare-eye	( <i>Phlegoptis erythroptera</i> )
Chestnut-belted Gnatcatcher	( <i>Conopophaga aurita</i> )
Ash-throated Gnatcatcher	( <i>Conopophaga peruviana</i> )
Chestnut-crowned Gnatcatcher	( <i>Conopophaga castaneiceps</i> )
Plain-backed Antpitta	( <i>Grallaria haplonota</i> )
Ochre-striped Antpitta	( <i>Grallaria dignissima</i> )
Chestnut-crowned Antpitta	( <i>Grallaria ruficapilla</i> )
White-bellied Antpitta	( <i>Grallaria hypoleuca</i> )
Equatorial (Rufous) Antpitta	( <i>Grallaria saturata</i> )
Tawny Antpitta	( <i>Grallaria quitensis</i> )
White-lored Antpitta	( <i>Myrmothera fulviventris</i> )
Thrush-like Antpitta	( <i>Myrmothera campanisona</i> )
Ochre-breasted Antpitta	( <i>Grallaria flavirostris</i> )
Rusty-belted Tapaculo	( <i>Liosceles thoracicus</i> )
Ash-colored Tapaculo	( <i>Myornis senilis</i> )
Paramo Tapaculo	( <i>Scytalopus opacus</i> )
White-crowned Tapaculo	( <i>Scytalopus atratus</i> )
Long-tailed (Eq. Rufous-vented) Tapaculo	( <i>Scytalopus micropterus</i> )
Blackish (Unicolored) Tapaculo	( <i>Scytalopus latrans</i> )
Spillmann's Tapaculo	( <i>Scytalopus spillmanni</i> )
Rufous-capped Antthrush	( <i>Formicarius colma</i> )
Black-faced Antthrush	( <i>Formicarius analis</i> )
Rufous-breasted Antthrush	( <i>Formicarius rufipectus</i> )
Short-tailed Antthrush	( <i>Chamaeza campanisona</i> )
Striated Antthrush	( <i>Chamaeza nobilis</i> )
Short-billed Leaf-tosser	( <i>Sclerurus ruficularis</i> )
Black-tailed Leaf-tosser	( <i>Sclerurus caudacutus</i> )
Olivaceous Woodcreeper	( <i>Sittasomus griseicapillus</i> )
Tyrannine Woodcreeper	( <i>Dendrocincla tyrannina</i> )
White-chinned Woodcreeper	( <i>Dendrocincla merula</i> )
Plain-brown Woodcreeper	( <i>Dendrocincla fuliginosa</i> )
Wedge-billed Woodcreeper	( <i>Glyphorhynchus spirurus</i> )
Cinnamon-throated Woodcreeper	( <i>Dendrexetastes rufigula</i> )
Long-billed Woodcreeper	( <i>Nasica longirostris</i> )
Amazonian Barred-Woodcreeper	( <i>Dendrocolaptes certhia</i> )
Black-banded Woodcreeper	( <i>Dendrocolaptes picumnus</i> )
Strong-billed Woodcreeper	( <i>Xiphocolaptes promeropirhynchus</i> )



Striped Woodcreeper	( <i>Xiphorhynchus obsoletus</i> )
Ocellated Woodcreeper	( <i>Xiphorhynchus ocellatus</i> )
Elegant (Soix's) Woodcreeper	( <i>Xiphorhynchus elegans</i> )
Buff-throated Woodcreeper	( <i>Xiphorhynchus guttatus</i> )
Olive-backed Woodcreeper	( <i>Xiphorhynchus triangularis</i> )
Straight-billed Woodcreeper	( <i>Xiphorhynchus picus</i> )
Red-billed Scythebill	( <i>Campylorhamphus trochilirostris</i> )
Montane Woodcreeper	( <i>Lepidocolaptes lacrymiger</i> )
Duida (Lineated) Woodcreeper	( <i>Lepidocolaptes duidae</i> )
Slender-billed Xenops	( <i>Xenops tenuirostris</i> )
Amazonian Plain-Xenops	( <i>Xenops genibarbis</i> )
Streaked Xenops	( <i>Xenops rutilans</i> )
Point-tailed Palmcreeper	( <i>Berlepschia rikeri</i> )
Streaked Tuftedcheek	( <i>Pseudocolaptes boissonneautii</i> )
Lesser Hornero	( <i>Furnarius minor</i> )
Chestnut-winged (Bar-winged) Cinclodes	( <i>Cinclodes albidiventris</i> )
Stout-billed Cinclodes	( <i>Cinclodes excelsior</i> )
Rufous-rumped Foliage-gleaner	( <i>Philydor erythrocercum</i> )
Cinnamon-rumped Foliage-gleaner	( <i>Philydor pyrrhodes</i> )
Montane Foliage-gleaner	( <i>Anabacerthia striaticollis</i> )
Rufous-tailed Foliage-gleaner	( <i>Philydor ruficaudatum</i> )
Lineated Foliage-gleaner	( <i>Syndactyla subalaris</i> )
Chestnut-winged Hookbill	( <i>Ancistrops strigilatus</i> )
Buff-fronted Foliage-gleaner	( <i>Philydor rufum</i> )
Chestnut-winged Foliage-gleaner	( <i>Philydor erythropterum</i> )
Black-billed Treehunter	( <i>Thripadectes melanorhynchus</i> )
Chestnut-crowned Foliage-gleaner	( <i>Automolus rufipileatus</i> )
Brown-rumped Foliage-gleaner	( <i>Automolus melanopezus</i> )
Ochre-throated (Buff-throated) Foliage-gleaner	( <i>Automolus ochrolaemus</i> )
Eastern (Striped) Woodhaunter	( <i>Automolus subulatus</i> )
Olive-backed Foliage-gleaner	( <i>Automolus infuscatus</i> )
Spotted Barbtail	( <i>Premnoplex brunnescens</i> )
Pearled Treerunner	( <i>Margarornis squamiger</i> )
Andean Tit-Spintail	( <i>Leptasthenura andicola</i> )
Many-striped Canastero	( <i>Asthenes flammulata</i> )
White-chinned Thistletail	( <i>Asthenes fuliginosa</i> )
Orange-fronted Plushcrown	( <i>Metopothrix aurantiaca</i> )
Parker's Spintail	( <i>Cranioleuca vulpecula</i> )
White-bellied Spintail	( <i>Synallaxis propinqua</i> )
Plain-crowned Spintail	( <i>Synallaxis gujanensis</i> )
Dusky Spintail	( <i>Synallaxis moesta</i> )
Dark-breasted Spintail	( <i>Synallaxis albigularis</i> )
Azara's Spintail	( <i>Synallaxis azarae</i> )
Rufous Spintail	( <i>Synallaxis unirufa</i> )



Ruddy Spinetail	( <i>Synallaxis rutilans</i> )
Dwarf Tyrant-Manakin	( <i>Tyrannetes stolzmanni</i> )
Blue-backed Manakin	( <i>Chiroxiphia pareola</i> )
Golden-winged Manakin	( <i>Masius chrysopterus</i> )
Green Manakin	( <i>Xenopipo holochlora</i> )
Blue-capped Manakin	( <i>Lepidothrix coronata</i> )
Blue-rumped Manakin	( <i>Lepidothrix isidorei</i> )
Orange-crowned Manakin	( <i>Heterocercus aurantiivertex</i> )
White-bearded Manakin	( <i>Manacus manacus</i> )
Wire-tailed Manakin	( <i>Pipra filicauda</i> )
Striolated (Striped) Manakin	( <i>Machaeropterus striolatus</i> )
White-crowned Manakin	( <i>Pipra pipra</i> )
Golden-headed Manakin	( <i>Pipra erythrocephala</i> )
Green-and-black Fruiteater	( <i>Pipreola riefferii</i> )
Black-chested Fruiteater	( <i>Pipreola lubomirskii</i> )
Scarlet-breasted Fruiteater	( <i>Pipreola frontalis</i> )
Red-crested Cotinga	( <i>Ampelion rubrocristatus</i> )
Andean Cock-of-the-rock	( <i>Rupicola peruvianus</i> )
Gray-tailed Piha	( <i>Snowornis subalaris</i> )
Purple-throated Fruitcrow	( <i>Querula purpurata</i> )
Amazonian Umbrellabird	( <i>Cephalopterus ornatus</i> )
Plum-throated Cotinga	( <i>Cotinga maynana</i> )
Spangled Cotinga	( <i>Cotinga cayana</i> )
Screaming Piha	( <i>Lipaugus vociferans</i> )
Dusky Piha	( <i>Lipaugus fuscocinereus</i> )
Bare-necked Fruitcrow	( <i>Gymnoderus foetidus</i> )
Black-tailed Tityra	( <i>Tityra cayana</i> )
Black-crowned Tityra	( <i>Tityra inquisitor</i> )
Masked Tityra	( <i>Tityra semifasciata</i> )
Varzea Schiffornis	( <i>Schiffornis major</i> )
Cinereous Mourner	( <i>Laniocera hypopyrra</i> )
White-browed Purpleuft	( <i>Iodopleura isabellae</i> )
Green-backed (Yellow-cheeked) Becard	( <i>Pachyramphus viridis xanthogenys/peruanus</i> )
Barred Becard	( <i>Pachyramphus versicolor</i> )
White-winged Becard	( <i>Pachyramphus polychopterus</i> )
Black-and-white Becard	( <i>Pachyramphus albogriseus</i> )
Black-capped Becard	( <i>Pachyramphus marginatus</i> )
Pink-throated Becard	( <i>Pachyramphus minor</i> )
Tawny-breasted Flycatcher	( <i>Myiobius villosus</i> )
Whiskered Flycatcher	( <i>Myiobius barbatus</i> )
Wing-barred Piprites	( <i>Piprites chloris</i> )
Streak-necked Flycatcher	( <i>Mionectes striaticollis</i> )
Olive-striped Flycatcher	( <i>Mionectes olivaceus</i> )
Ochre-bellied Flycatcher	( <i>Mionectes oleagineus</i> )



Slaty-capped Flycatcher	( <i>Leptopogon superciliaris</i> )
Rufous-breasted Flycatcher	( <i>Leptopogon rufipectus</i> )
Marble-faced Bristle-Tyrant	( <i>Phylloscartes ophthalmicus</i> )
Variiegated Bristle-Tyrant	( <i>Phylloscartes poecilotis</i> )
Ecuadorian Tyrannulet	( <i>Phylloscartes gualaquizae</i> )
Bronze-olive Pygmy-Tyrant	( <i>Pseudotriccus pelzelni</i> )
Rufous-headed Pygmy-Tyrant	( <i>Pseudotriccus ruficeps</i> )
Ringed Antpipit	( <i>Corythopsis torquatus</i> )
Short-tailed Pygmy-Tyrant	( <i>Myiornis ecaudatus</i> )
Scale-crested Pygmy-Tyrant	( <i>Lophotriccus pileatus</i> )
Double-banded Pygmy-Tyrant	( <i>Lophotriccus vitoriosus</i> )
White-eyed Tody-Tyrant	( <i>Hemitriccus zosterops</i> )
Rufous-crowned Tody-Flycatcher	( <i>Poecilotriccus ruficeps</i> )
Rusty-fronted Tody-Flycatcher	( <i>Poecilotriccus latirostris</i> )
Spotted Tody-Flycatcher	( <i>Todirostrum maculatum</i> )
Common Tody-Flycatcher	( <i>Todirostrum cinereum</i> )
Yellow-browed Tody-Flycatcher	( <i>Todirostrum chrysocrotaphum</i> )
Brownish Twistwing	( <i>Cnipodectes subbrunneus</i> )
Yellow-olive Flatbill	( <i>Tolmomyias sulphurescens</i> )
Orange-eyed Flatbill	( <i>Tolmomyias traylori</i> )
Yellow-margined (Zimmer's) Flatbill	( <i>Tolmomyias assimilis obscuriceps</i> )
Gray-crowned Flatbill	( <i>Tolmomyias poliocephalus</i> )
Olive-faced Flatbill	( <i>Tolmomyias flaviventris viridiceps</i> )
Cinnamon Flycatcher	( <i>Pyrrhomyias cinnamomeus</i> )
Cliff Flycatcher	( <i>Hirundinea ferruginea</i> )
Ornate Flycatcher	( <i>Myiotriccus ornatus</i> )
Handsome Flycatcher	( <i>Nephelomyias pulcher</i> )
White-lored Tyrannulet	( <i>Ornithion inermis</i> )
Southern Beardless-Tyrannulet	( <i>Camptostoma obsoletum</i> )
White-tailed Tyrannulet	( <i>Mecocerculus poecilocercus</i> )
White-banded Tyrannulet	( <i>Mecocerculus stictopterus</i> )
White-throated Tyrannulet	( <i>Mecocerculus leucophrys</i> )
Sulphur-bellied Tyrannulet	( <i>Mecocerculus minor</i> )
Tufted Tit-Tyrant	( <i>Anairetes parulus</i> )
Agile Tit-Tyrant	( <i>Uromyias agilis</i> )
Yellow-crowned Tyrannulet	( <i>Tyrannulus elatus</i> )
Forest Elaenia	( <i>Myiopagis gaimardii</i> )
Amazonian (Gray) Elaenia	( <i>Myiopagis caniceps</i> )
Foothill Elaenia	( <i>Myioagis subplacens</i> )
Yellow-crowned Elaenia	( <i>Myioagis flavivertex</i> )
Mottle-backed Elaenia	( <i>Elaenia gigas</i> )
White-crested Elaenia	( <i>Elaenia albiceps</i> )
Sierran Elaenia	( <i>Elaenia pallatangae</i> )
Torrent Tyrannulet	( <i>Serpophaga cinerea</i> )



River Tyrannulet	( <i>Serpophaga hypoleuca</i> )
Sooty-headed Tyrannulet	( <i>Phyllomyias griseiceps</i> )
Plumbeous-crowned Tyrannulet	( <i>Phyllomyias plumbeiceps</i> )
Black-capped Tyrannulet	( <i>Phyllomyias nigrocapillus</i> )
Ashy-headed Tyrannulet	( <i>Phyllomyias cinereiceps</i> )
Red-billed Tyrannulet	( <i>Zimmerius cinereicapilla</i> )
Golden-faced Tyrannulet	( <i>Zimmerius chrysops</i> )
Slender-footed Tyrannulet	( <i>Zimmerius gracilipes</i> )
Lesser Wagtail-Tyrant	( <i>Stigmatura napensis</i> )
Flavescent Flycatcher	( <i>Myiophobus flavicans</i> )
Olive-chested Flycatcher	( <i>Myiophobus cryptoxanthus</i> )
Bran-colored Flycatcher	( <i>Myiophobus fasciatus</i> )
Olive-sided Flycatcher	( <i>Contopus cooperi</i> )
Smoke-colored Pewee	( <i>Contopus fumigatus</i> )
Western Wood-Pewee	( <i>Contopus sordidulus</i> )
Eastern Wood-Pewee	( <i>Contopus virens</i> )
Fuscous Flycatcher	( <i>Cnemotriccus fuscatus</i> )
Alder Flycatcher	( <i>Empidonax alnorum</i> )
Willow Flycatcher	( <i>Empidonax traillii</i> )
Black Phoebe	( <i>Sayornis nigricans</i> )
Amazonian Scrub-Flycatcher	( <i>Sublegatus modestus</i> )
Vermillion Flycatcher	( <i>Pyrocephalus rubinus</i> )
Riverside Tyrant	( <i>Knipolegus orenocensis</i> )
Drab Water-Tyrant	( <i>Ochthornis littoralis</i> )
Plain-capped (Paramo) Ground-Tyrant	( <i>Muscisaxicola alpinus</i> )
Red-rumped Bush-Tyrant	( <i>Cnemarchus erythropygius</i> )
Black-billed Shrike-Tyrant	( <i>Agriornis montanus</i> )
Crowned Chat-Tyrant	( <i>Ochthoeca frontalis</i> )
Chestnut-bellied (Slaty-backed) Chat-Tyrant	( <i>Ochthoeca cinnamomeiventris</i> )
Rufous-breasted Chat-Tyrant	( <i>Ochthoeca rufipectoralis</i> )
Brown-backed Chat-Tyrant	( <i>Ochthoeca fumicolor</i> )
Long-tailed Tyrant	( <i>Colonia colonus</i> )
Rufous-tailed Flatbill	( <i>Ramphotrigon ruficauda</i> )
Cinnamon Attila	( <i>Attila cinnamomeus</i> )
Citron-bellied Attila	( <i>Attila citriniventris</i> )
Bright-rumped Attila	( <i>Attila spadiceus</i> )
White-rumped Sirystes	( <i>Sirystes albocinereus</i> )
Grayish Mourner	( <i>Rhytipterna simplex</i> )
Dusky-capped Flycatcher	( <i>Myiarchus tuberculifer</i> )
Short-crested Flycatcher	( <i>Myiarchus ferox</i> )
Pale-edged Flycatcher	( <i>Myiarchus cephalotes</i> )
Cattle Tyrant	( <i>Machetornis rixosa</i> )
Lesser Kiskadee	( <i>Pitangus lictor</i> )
Great Kiskadee	( <i>Pitangus sulphuratus</i> )



Boat-billed Flycatcher	( <i>Megarynchus pitangua</i> )
Social Flycatcher	( <i>Myiozetetes similis</i> )
Gray-capped Flycatcher	( <i>Myiozetetes granadensis</i> )
Dusky-chested Flycatcher	( <i>Myiozetetes luteiventris</i> )
Lemon-browed Flycatcher	( <i>Conopias cinchoneti</i> )
Golden-bellied (Golden-crowned) Flycatcher	( <i>Myiodynastes hemichrysus</i> )
Streaked Flycatcher	( <i>Myiodynastes maculatus</i> )
Sulphur-bellied Flycatcher	( <i>Myiodynastes luteiventris</i> )
Piratic Flycatcher	( <i>Legatus leucophaeus</i> )
Sulphury Flycatcher	( <i>Tyrannopsis sulphurea</i> )
Tropical Kingbird	( <i>Tyrannus melancholicus</i> )
Eastern Kingbird	( <i>Tyrannus tyrannus</i> )
Fork-tailed Flycatcher	( <i>Tyrannus savana</i> )
Black-billed Peppershrike	( <i>Cyclarhis nigrirostris</i> )
Olivaceous Greenlet	( <i>Hylophilus olivaceus</i> )
Slaty-capped Shrike-Vireo	( <i>Vireolanius leucotis</i> )
Tawny-crowned Greenlet	( <i>Hylophilus ochraceiceps</i> )
Dusky-capped Greenlet	( <i>Hylophilus hypoxanthus</i> )
Rufous-naped Greenlet	( <i>Hylophilus semibrunneus</i> )
Brown-capped Vireo	( <i>Vireo leucophrys</i> )
Red-eyed Vireo	( <i>Vireo olivaceus</i> )
Yellow-green Vireo	( <i>Vireo flavoviridis</i> )
Turquoise Jay	( <i>Cyanolyca turcosa</i> )
Green (Inca) Jay	( <i>Cyanocorax yncas [yncas Group]</i> )
Violaceous Jay	( <i>Cyanocorax violaceus</i> )
Black-capped Donacobius	( <i>Donacobius atricapilla</i> )
Bank Swallow	( <i>Riparia riparia</i> )
White-winged Swallow	( <i>Tachycineta albiventer</i> )
Gray-breasted Martin	( <i>Progne chalybea</i> )
Brown-chested Martin	( <i>Progne tapera</i> )
Southern Rough-winged Swallow	( <i>Stelgidopteryx ruficollis</i> )
White-thighed Swallow	( <i>Atticora tibialis</i> )
White-banded Swallow	( <i>Atticora fasciata</i> )
Blue-and-white Swallow	( <i>Pygochelidon cyanoleuca</i> )
Brown-bellied Swallow	( <i>Orochelidon murina</i> )
Barn Swallow	( <i>Hirundo rustica</i> )
Tawny-faced Gnatwren	( <i>Microbates cinereiventris</i> )
Long-billed Gnatwren	( <i>Ramphocaenus melanurus</i> )
Scaly-breasted (Southern Nightingale-) Wren	( <i>Microcerculus marginatus</i> )
Wing-banded Wren	( <i>Microcerculus bambla</i> )
Gray-mantled Wren	( <i>Odontorchilus branickii</i> )
Southern House Wren	( <i>Troglodytes musculus</i> )
Mountain Wren	( <i>Troglodytes solstitialis</i> )
Grass Wren	( <i>Cistothorus platensis</i> )



Thrush-like Wren	( <i>Campylorhynchus turdinus</i> )
Plain-tailed Wren	( <i>Pheugopedius euophrys</i> )
Coraya Wren	( <i>Pheugopedius coraya</i> )
Rufous Wren	( <i>Cinnycerthia unirufa</i> )
White-breasted Wood-Wren	( <i>Henicorhina leucosticta</i> )
Gray-breasted Wood-Wren	( <i>Henicorhina leucophrys</i> )
Musician Wren	( <i>Cyphorhinus arada</i> )
Tropical Mockingbird	( <i>Mimus gilvus</i> )
Andean Solitaire	( <i>Myadestes ralloides</i> )
Slaty-backed Nightingale-Thrush	( <i>Catharus fuscater</i> )
Speckled (Spotted) Nightingale-Thrush	( <i>Catharus maculatus</i> )
Gray-cheeked Thrush	( <i>Catharus minimus</i> )
Swainson's Thrush	( <i>Catharus ustulatus</i> )
Lawrence's Thrush	( <i>Turdus lawrencii</i> )
Hauxwell's Thrush	( <i>Turdus hauxwelli</i> )
White-necked Thrush	( <i>Turdus albicollis</i> )
Pale-eyed Thrush	( <i>Turdus leucops</i> )
Black-billed Thrush	( <i>Turdus ignobilis</i> )
Great Thrush	( <i>Turdus fuscater</i> )
Glossy-black Thrush	( <i>Turdus serranus</i> )
House Sparrow	( <i>Passer domesticus</i> )
Paramo Pipit	( <i>Anthus bogotensis</i> )
Golden-rumped Euphonia	( <i>Chlorophonia cyanocephala</i> )
Blue-naped Chlorophonia	( <i>Chlorophonia cyanea</i> )
Chestnut-breasted Chlorophonia	( <i>Chlorophonia pyrrhophrys</i> )
Golden-bellied (White-lored) Euphonia	( <i>Euphonia chrysopasta</i> )
White-vented Euphonia	( <i>Euphonia minuta</i> )
Thick-billed Euphonia	( <i>Euphonia laniirostris</i> )
Orange-bellied Euphonia	( <i>Euphonia xanthogaster</i> )
Bronze-green Euphonia	( <i>Euphonia mesochrysa</i> )
Rufous-bellied Euphonia	( <i>Euphonia rufiventris</i> )
Hooded Siskin	( <i>Carduelis magellanica</i> )
Olivaceous Siskin	( <i>Spinus olivaceus</i> )
Yellow-throated Chlorospingus (Bush-Tanager)	( <i>Chlorospingus flavigularis</i> )
Ashy-throated Chlorospingus (Bush-Tanager)	( <i>Chlorospingus canigularis</i> )
Common Chlorospingus (Bush-Tanager)	( <i>Chlorospingus flavopectus</i> [ <i>flavopectus</i> Group])
Yellow-browed Sparrow	( <i>Ammodramus aurifrons</i> )
Gray-browed Brushfinch	( <i>Arremon assimilis</i> )
Orange-billed Sparrow	( <i>Arremon aurantirostris</i> )
Chestnut-capped Brush-Finch	( <i>Arremon brunneinucha</i> )
Rufous-collared Sparrow	( <i>Zonotrichia capensis</i> )
Slaty Brush-Finch	( <i>Atlapetes schistaceus</i> )
Pale-naped Brush-Finch	( <i>Atlapetes pallidinucha</i> )





Red-breasted Meadowlark (Blackbird)	( <i>Sturnella militaris</i> )
Russet-backed Oropendola	( <i>Psarocolius angustifrons</i> )
Green Oropendola	( <i>Psarocolius viridis</i> )
Crested Oropendola	( <i>Psarocolius decumanus</i> )
Olive Oropendola	( <i>Psarocolius bifasciatus yuracares</i> )
Solitary Black Caci que	( <i>Cacicus solitarius</i> )
Scarlet-rumped (Subtropical) Caci que	( <i>Cacicus uropygialis uropygialis</i> )
Yellow-rumped Caci que	( <i>Cacicus cela</i> )
(Northern) Mountain Caci que	( <i>Cacicus chrysonotus</i> )
Red-rumped Caci que	( <i>Cacicus haemorrhous</i> )
Casqued Caci que (Oropendola)	( <i>Cacicus oseryi</i> )
Epaulet (Moriche) Oriole	( <i>Icterus cayanensis chrysocephalus</i> )
Orange-backed Troupial	( <i>Icterus croconotus</i> )
Shiny Cowbird	( <i>Molothrus bonariensis</i> )
Giant Cowbird	( <i>Molothrus oryzivorus</i> )
Velvet-fronted Grackle	( <i>Lamprosar tanagrinus</i> )
Oriole Blackbird	( <i>Gymnomystax mexicanus</i> )
Northern Waterthrush	( <i>Parkesia noveboracensis</i> )
Black-and-white Warbler	( <i>Mniotilta varia</i> )
Tennessee Warbler	( <i>Leiothlypis peregrina</i> )
Prothonotary Warbler	( <i>Protonotaria citrea</i> )
American Redstart	( <i>Setophaga ruticilla</i> )
Cerulean Warbler	( <i>Setophaga cerulea</i> )
Tropical Parula	( <i>Setophaga pitaiayumi</i> )
Blackburnian Warbler	( <i>Setophaga fusca</i> )
Yellow Warbler	( <i>Setophaga petechia</i> )
Blackpoll Warbler	( <i>Setophaga striata</i> )
Three-striped Warbler	( <i>Basileuterus tristriatus</i> )
Black-crested Warbler	( <i>Myiothlypis nigrocristata</i> )
Russet-crowned Warbler	( <i>Myiothlypis coronata</i> )
Canada Warbler	( <i>Cardellina canadensis</i> )
Slate-throated Redstart (Whitestart)	( <i>Myioborus miniatus</i> )
Spectacled Redstart (Whitestart)	( <i>Myioborus melanocephalus</i> )
Summer Tanager	( <i>Piranga rubra</i> )
Scarlet Tanager	( <i>Piranga olivacea</i> )
Golden (Golden-bellied/Southern Yellow)	
Grosbeak	( <i>Pheucticus chrysogaster</i> )
Rose-breasted Grosbeak	( <i>Pheucticus ludovicianus</i> )
Red-capped Cardinal	( <i>Paroaria gularis</i> )
Magpie Tanager	( <i>Cissopis leverianus</i> )
Rufous-crested Tanager	( <i>Creurgops verticalis</i> )
Black-capped Hemispingus	( <i>Hemispingus atropileus</i> )
Oleaginous Hemispingus	( <i>Hemispingus frontalis</i> )
Black-eared Hemispingus	( <i>Hemispingus melanotis</i> )



Orange-headed Tanager	( <i>Thlypopsis sordida</i> )
Gray-headed Tanager	( <i>Eucometis penicillata</i> )
Flame-crested Tanager	( <i>Tachyphonus cristatus</i> )
White-shouldered Tanager	( <i>Tachyphonus luctuosus</i> )
Fulvous-crested Tanager	( <i>Tachyphonus rufiventer</i> )
White-lined Tanager	( <i>Tachyphonus rufus</i> )
Fulvous Shrike-Tanager	( <i>Lanio fulvus</i> )
Silver-beaked Tanager	( <i>Ramphocelus carbo</i> )
Masked Crimson Tanager	( <i>Ramphocelus nigrogularis</i> )
Hooded Mountain-Tanager	( <i>Buthraupis montana</i> )
Masked Mountain-Tanager	( <i>Buthraupis wetmorei</i> )
Grass-green Tanager	( <i>Chlorornis riefferii</i> )
Lacrimose Mountain-Tanager	( <i>Anisognathus lacrymosus</i> )
Scarlet-bellied Mountain-Tanager	( <i>Anisognathus igniventris</i> )
Blue-winged Mountain-Tanager	( <i>Anisognathus somptuosus</i> )
Buff-breasted Mountain-Tanager	( <i>Dubusia taeniata</i> )
Golden-crowned Tanager	( <i>Iridosornis rufivertex</i> )
Fawn-breasted Tanager	( <i>Pipraeidea melanonota</i> )
Blue-and-yellow Tanager	( <i>Pipraeidea bonariensis</i> )
Blue-gray Tanager	( <i>Thraupis episcopus</i> )
Palm Tanager	( <i>Thraupis palmarum</i> )
Yellow-bellied Tanager	( <i>Tangara xanthogastra</i> )
Spotted Tanager	( <i>Ixothraupis punctata</i> )
Golden-naped Tanager	( <i>Chalcothraupis ruficervix</i> )
Black-capped Tanager	( <i>Stilpnia heinei</i> )
Scrub Tanager	( <i>Tangara vitriolina</i> )
Masked Tanager	( <i>Tangara nigrocincta</i> )
Blue-necked Tanager	( <i>Stilpnia cyanicollis</i> )
Blue-and-black Tanager	( <i>Tangara vassorii</i> )
Beryl-spangled Tanager	( <i>Tangara nigroviridis</i> )
Blue-browed Tanager	( <i>Tangara cyanotis</i> )
Turquoise Tanager	( <i>Tangara mexicana</i> )
Paradise Tanager	( <i>Tangara chilensis</i> )
Opal-rumped Tanager	( <i>Tangara velia</i> )
Opal-crowned Tanager	( <i>Tangara callophrys</i> )
Bay-headed Tanager	( <i>Tangara gyrola</i> )
Golden-eared Tanager	( <i>Tangara chrysotis</i> )
Saffron-crowned Tanager	( <i>Tangara xanthocephala</i> )
Flame-faced Tanager	( <i>Tangara parzudakii</i> )
Green-and-gold Tanager	( <i>Tangara schrankii</i> )
Golden Tanager	( <i>Tangara arthus</i> )
Swallow Tanager	( <i>Tersina viridis</i> )
Black-faced Dacnis	( <i>Dacnis lineata</i> )
Yellow-bellied Dacnis	( <i>Dacnis flaviventer</i> )



Blue Dacnis	( <i>Dacnis cayana</i> )
Purple Honeycreeper	( <i>Cyanerpes caeruleus</i> )
Green Honeycreeper	( <i>Chlorophanes spiza</i> )
Golden-collared Honeycreeper	( <i>Iridophanes pulcherrimus</i> )
Bicolored Conebill	( <i>Conirostrum bicolor</i> )
Giant Conebill	( <i>Oreomanes fraseri</i> )
Blue-backed Conebill	( <i>Conirostrum sitticolor</i> )
Capped Conebill	( <i>Conirostrum albifrons</i> )
Cinereous Conebill	( <i>Conirostrum cinereum</i> )
Glossy Flowerpiercer	( <i>Diglossa lafresnayii</i> )
Black Flowerpiercer	( <i>Diglossa humeralis</i> )
White-sided Flowerpiercer	( <i>Diglossa albilatera</i> )
Rusty Flowerpiercer	( <i>Diglossa sittoides</i> )
Deep-blue Flowerpiercer	( <i>Diglossa glauca</i> )
Bluish Flowerpiercer	( <i>Diglossa caerulescens</i> )
Masked Flowerpiercer	( <i>Diglossa cyanea</i> )
Plushcap	( <i>Catamblyrhynchus diadema</i> )
Black-backed Bush Tanager	( <i>Urothraupis stolzmanni</i> )
Plumbeous Sierra-Finch	( <i>Phrygilus unicolor</i> )
Ash-breasted Sierra-Finch	( <i>Phrygilus plebejus</i> )
Gray-hooded Bush Tanager	( <i>Cnemoscopus rubrirostris</i> )
Saffron Finch	( <i>Sicalis flaveola</i> )
Blue-black Grassquit	( <i>Volatinia jacarina</i> )
Lesson's Seedeater	( <i>Sporophila bouvronides</i> )
Chestnut-bellied Seedeater	( <i>Sporophila castaneiventris</i> )
Chestnut-bellied Seed-Finch	( <i>Oryzoborus angolensis</i> )
Large-billed Seed-Finch	( <i>Sporophila crassirostris</i> )
Black-billed Seed-Finch	( <i>Oryzoborus atrirostris</i> )
Wing-barred (Caqueta) Seedeater	( <i>Sporophila americana murallae</i> )
Black-and-white Seedeater	( <i>Sporophila luctuosa</i> )
Yellow-bellied Seedeater	( <i>Sporophila nigricollis</i> )
Plain-colored Seedeater	( <i>Catamenia inornata</i> )
Paramo Seedeater	( <i>Catamenia homochroa</i> )
Bananaquit	( <i>Coereba flaveola</i> )
Yellow-shouldered Grosbeak	( <i>Parkerthraustes humeralis</i> )
Buff-throated Saltator	( <i>Saltator maximus</i> )
Bluish-gray (Grayish) Saltator	( <i>Saltator coerulescens</i> )
Slate-colored Grosbeak	( <i>Saltator grossus</i> )